



Request for Proposals

Mississippi Valley State University

**THIS IS
NOT AN
ORDER**

MVSU #7244 / 14000 Hwy 82-W
Itta Bena MS 38941-1400

Web Address: www.mvsu.edu/purchasing/

Phone No: (662) 254-3319 Fax (662) 254-3314

Proposal Title:
MVSU Card Access System

Requesting Department:
Carmela Staten
Information Technology

Date: July 13, 2021

Proposals No. VSRP# 100083

Number of Pages 62

Term – End of Month

Bids/Proposals – Do not include State or Federal Taxes in your bids/proposals. The University is exempted from these taxes. All order will be placed with successful bidder by Official Purchase Order.

Change Order: Addendum III

Mississippi Valley State University is considering the purchase of the following item (s). **We ask that you submit your Bids/Proposals in nine copies.** Rights are reserved to accept, or reject any and all parts of your bid/proposals. Your bid/proposals will be given consideration if received in this Office on or before the date and time below.

- This bid/proposal will be awarded on a line by line basis
- This bid/proposal will be awarded on a all or none basis

However, the University reserves the rights to award any and all bids/proposals in the best interest of the University.

Bid/Proposal opening {Date and Time}

August 17, 2021 @2:00pm

Mississippi Valley State University
Carla T. Williams

By: Carla T. Williams/ Director of Purchasing

Email: CTWILIAMS@MVSU.EDU

NOTE: If you cannot quote on the exact material shown, please indicate any exceptions, giving brand names and complete specifications on any alternate. Mississippi Valley State University reserves the rights to accept any alternate of equal or greater quality or performance. We also reserve the rights to waiver any irregularities that may appear in the Bids/Proposals specifications.

ITEM	QUANTITY	DESCRIPTIONS	UNIT PRICE	TOTAL NET PRICE
		MVSU Card Access System ADDENDUM III		
<i>Please show Bid/Proposals No. on outside of Envelope</i>				

If checked, Mississippi Valley State University reserves the rights for an additional 60 days to purchase and additional 20% of this bid/proposal at the same cost.

We quote you as above F.O.B – Mississippi Valley State University. Shipment can be made within _____ days from receipt of the order.

Company Quoting

Terms: _____

Date: _____

Phone/Fax: _____

Official Signature: _____

Mississippi Valley State University



Request for Proposal

ADDENDUM
July 20, 2021

**Campus Card System: Identification, Event
Management, Commerce, Access Control, Payment**

Due August 17, 2021



REQUEST FOR PROPOSAL (RFP) ADDENDUM

Addendum No: 3	Date of Addendum: July 20, 2021
Title: MVSU Card Access System	Solicitation Number: VSRP100083

SCOPE OF ADDENDUM

The Request for Proposal (RFP) is modified as set forth in this Addendum. The original RFP Documents and any previously issued addenda remain in full force and effect, except as modified by this Addendum, which is hereby made part of the RFP. Respondent shall take this Addendum into consideration when preparing and submitting its Proposal.

This addendum details additions to the RFP based on the questions received or revisions deemed necessary by the University for RFP with Solicitation Number: **VSRP100083**

REVISIONS/ADDITIONS

Revision 1: CHANGE

Page 13 – Section “Proposal Preparation and Submission “

Changed to:

To correct submission date, paragraph 1 changed

PROPOSAL PREPARATION AND SUBMISSION

Proposal must be submitted on the enclosed pricing form. Proposal received on any other forms will not be accepted. Proposal must be received in the Office of Purchasing no later than 2:00 p.m. on **August 3, 2021**. Any proposal received after the time or specified date will not be considered.

Revision 1.1: Change

Page 13 – Section “Proposal Preparation and Submission “

Changed to:

To extend submission date, paragraph 1 changed from August 3, 2021 to August 17, 2021

PROPOSAL PREPARATION AND SUBMISSION

Proposal must be submitted on the enclosed pricing form. Proposal received on any other forms will not be accepted. Proposal must be received in the Office of Purchasing no later than 3:00 p.m. on **August 17, 2021**. Any proposal received after the time or specified date will not be considered.

Revision 2: Change

Page 14 – “Schedule of Proposed Schedule”

Changed to:

To correct submission date and give more time to submit inquires:

3. Deadline for Submitting Written Inquiries July 19, 2021

As follows,

Page 17 - N. Questions

Changed to:

N. Questions

Deadline to Submit Additional Written Questions

Questions regarding the RFP, or the services requested in it, should be mailed or emailed to the following address no later than 3:00 p.m. on July 19, 2021.

Revision 2.1

Page 14 – “Schedule of Proposed Schedule”

Changed to:

To extend the submission deadline:

5. Proposal Due to the Office of Purchasing August 3, 2021

Revision 3: CHANGE/ADDITION

Page 21 – Section “Interface and Integration “

Changed to:

Hardware, Interface and Integration

- System must allow for seamless transfer of data to and from the ERP – Ellucian Banner, with little to no end-user/programmer intervention.
- Software must be compatible with Miicros and Oracle POS systems.
- Hardware / machines or devices necessary for all required features must be new, industry standard and included in proposal.

Revision 4: ADDITION

Page 23 – Section “Production System “

Item Added:

19. Cloud based solutions allowed.

Revision 5: ADDITION

Page 29 – Section “Additional System Applications “

Items Added:

23. Provide a solution for University Police registration of vehicles and ticketing.
24. Provide a solution for miscellaneous or adhoc POS services in various departments as needed, (i.e. MVSU Print Shop, Pop up event shops)

QUESTIONS ANSWERED

Campus Card System: Identification, Event Management, Commerce, Access Control, Payment

RFP Questions

1. **Are you looking for a cloud based solution or on premise?**
 - a. MVSU is open to cloud based or on premise. Our current solution is on premise.

2. **Under ‘Interface and Integration’ 2. Software must be compatible with Micros and Oracle POS systems. Is this a requirement? Under ‘Point of Sale (POS) Value Added Resellers (VAR) you state: If your company is a VAR for a hospitality POS terminal manufacturer, please respond to the following: Does this mean that you are open to another POS platform other than Micros?**
 - a. Micros is now required. The initial RFP included other solutions. However, after discussions with our food service vendor we have been informed in order to onboard Chick-fil-A we must have Micros.

3. **How many POS terminals do you have / need connecting to our One Card platform?**
 - a. Currently, MVSU has 7 (seven) POS terminals. With this proposed solution, we would like to replace this aging equipment and expand the number, locations and capability of our POS systems.
 - b. Current POS
 - i. Food Service (Dining Hall/Union): Current 2 POS / Need 7 POS
 - ii. Bookstore: Book log/Follett Software – 4 POS
 - iii. Convenience Store: 1 POS
 - c. Need capability to add more. These can be replaced.

4. **How many retail and off site merchant sites do you have?**
 - a. None. MVSU would like the capability to expand and offer this service.

5. **Due to the pandemic would the University be willing to accept electronic submittals or the RFP response?**
 - a. MVSU will only accept responses via the method listed in the RFP – hard copies hand delivered or received via a postal/package service or through the MAGIC portal. The MAGIC Supplier Self-Service Reference Guide is located here <https://srm.magic.ms.gov/SAP/EBP/DOCSEVER/MAGIC%20SELF%20SERVICE%20REFERENCE%20GUIDE.PDF?PHIOGET&KPID=0200060000091EEAB5E2EF11D7B66450&KPCLASS=BBP P DOC&SAP-CLIENT=100>

6. **What is your implementation timeline? Will this be a phased project or will everything need to be implemented at once?**
 - a. We would prefer to implement all modules at once, however if necessary we are willing to phase things in. The most vital are dining, bookstore, events, library, laundry, mobile ID and card printing. Those that can be a part of phase 2 are parking, access control, attendance tracking and the like.

7. **When would you want to deploy solution on campus?**
 - a. Before the end of Fall 2021.

- 8. How many students are issued a physical ID card?**
- a. Approximately 2000 students are issued a physical ID card.
- 9. Do you provide Alumni with a ID?**
- a. IDs are provided to sundry groups. Those groups and estimated quantities are:
 - i. Faculty (200),
 - ii. Staff (200),
 - iii. Students (2000),
 - iv. Summer Program Participants (700),
 - v. Athletic Season Ticket Holders (100),
 - vi. Temporary Staff/Contractors (15), and
 - vii. Alumni (varies).
- 10. Do you presently issue a mobile ID credential?**
- a. No, MVSU does not currently have mobile ID credentials. The new solution must provide this capability.
- 11. Please confirm the technology on your present card, i.e. mag stripe, iClass, etc.**
- a. Mag Stripe, IClass, Signature
- 12. Does your campus today utilize Apple Pay or Google Wallet?**
- a. No. This would be a great added feature.
- 13. How many cards utilize NFC?**
- a. NFC is not used for payments or purchases. RFID is incorporated in the cards for building access control. We would like to utilize this feature.
- 14. What SSO are you using?**
- a. SAML, LDAP, Ethos Identity
- 15. Do you prefer a hosted solution to an on premise-based solution?**
- a. We do not have a preference. Whichever is more convenient, scalable and secure.
- 16. Please provide a comprehensive list and confirm all 3rd party solutions that now accept your campus card for permission or payment that you expect to integrate and also any new 3rd party systems. i.e. print management solution, bookstore system, laundry, vending, access control**
- a. Existing
 - i. Bookstore – Booklog/Follett
 - ii. Food Service – Thompson Hospitality
 - iii. Access Control - On Guard (Expansion needed)
 - iv. Event access (expansion needed)
 - b. New
 - i. Chick-fil-A
 - ii. Print Management
 - iii. Vending (Pepsi, Frito-Lay)
 - iv. Laundry
 - v. Library
 - vi. Attendance tracking
- 17. How many laundry machines are utilized by your campus? Who is your current provider? Do students pay for laundry?**
- a. Students use ID cards to gain access to the laundry(self-wash/dry) facilities. MVSU would like to incorporate card access for the machines themselves.

- b. Wash/Dry laundry is included in tuition and fees. Dry cleaning service is provided to students at a discounted rate with a specified number of free items cleaned each week. Card readers or POS are needed for this facility for payment and to track free item redemption.
 - c. Laundry rooms: 3 Machines: 32 wash/34 dry
Manufacturer: Caldwell and Gregory
- 18. Do you use off-campus vendors with your campus card?**
- a. No. MVSU would like to expand into this area.
- 19. Do you utilize a 3rd party food service provider for dining?**
- a. Yes. Thompson Hospitality.
- 20. How many dining locations do you currently provide? Will you provide a breakout of dining locations you would like quoted for this project?**
- a. Current Dining locations: 2 Dining Hall & Chick-fil-A (opening soon)
 - b. Proposed Locations: Game Concessions
- 21. Who is your current credit card processor for online deposits, mobile food ordering and within your dining facilities?**
- a. First Data and Merchant Services
- 22. What equipment is included in the POS workstations noted in the RFP? Can you provide a list of all the equipment that will be impacted by this project?**
- a. POS, receipt printer, cash drawer
 - b. POS, PC, receipt printer, cash drawer
 - c. All can be replaced.
- 23. Are you open to replacing your current POS solution or is your expectation to retain that system?**
- a. Replacement is desired.
- 24. What are the current meal plan rules that are supported? i.e. unlimited meal credits, declining balance, 30 meals per month.**
- a. Dining Hall (19 meals per week)
 - b. Chick-fil-A – Meal Equivalency / Valley Bucks / Declining Balance /Flex dollars
 - c. Convenience Store – Declining Balance
 - d. Bookstore – Declining Balance
 - e. Dining Hall – commuter meal plan (50 meals per semester / 25 meals per semester)
- 25. Is the campus contracted by Coca Cola or Pepsi for vending?**
- a. Beverages: Pepsi 26 machines Cash/Debit/Credit
 - b. Snacks: Frito Lay 20 machines Cash only
- 26. Please provide details including quantities and locations for all places on campus that will be using the Campus Card Solution:**
- a. Vending – how many vending machines (see question 25)
 - b. POS – how many POS workstations and where would they be located?
 - i. Seven POS workstations – Dining Hall, Union (Chick-fil-A), Bookstore, Convenience Store
 - ii. Need additional POS to cover various events, Post Office, Print Shop, Concessions, Chick-fil-A (10)
 - c. Printing/copying – do you have a printing partner today? Who is it? If not, how many copiers would need card readers on them?

- i. Primarily, we do not have a printing partner. The library requires students to pay with cash at the desk. MCIS department uses Print Manager Plus 9.0 which allows students to pay for printing. Academic and Administrative offices use Cannon Solutions. MVSU would like one printing solution that allows students to redeem a number of free copies and pay for others with their declining balance.

Copiers needing card readers: Ten

- d. **Event access – how many readers would you need to monitor event access?**

Six

- e. **Access control – please provide full details on all of your doors requiring door access control. What building the door is in, what type of reader is there today (if any)? Do you have building floorplans/blueprints with each door called out?**

See Appendix A

- f. **How many card printers would you need to print ID cards?**

2 card printers (We would like to use current printers, if possible)

- g. **The RFP says you use ID Works and Datacard, but you list your software as Assure ID with Fargo printers. These are two separate manufacturers.**

Fargo and Assure ID is primary and Datacard is legacy and still used sparingly for various purposes.

- h. **How many self-service card value centers would you need to have?**

Two

- 27. **What is the card technology of your current ID Card (magstripe only? Prox? MIFARE? ICLASS? SEOS?)** I Class /Magstripe/Proximity

Additional Information

The Bookstore and Convenience store use the Cherry keyboard (that came with the POS system) to scan campus cards and a separate machine for credit/debit cards. We have 2 First data machines and 1 Clover credit card machine

Dining: Thompson's Retail Location - The IDs can be swiped as many times per day as a person chooses, as long as they have Valley Bucs or Flex Dollars

Appendix A

ACCESS CONTROL

Access control primarily utilized on the exterior of some campus buildings with select internal doors included. The following provides an inventory of the current locations and equipment used for access control.

This solution should provide for integration of current equipment (if possible) with expansion to all campus buildings and all internal doors in residence halls.

New Locations

Access control capability is requested in the following residence halls for the number of rooms indicated

- College Hall - 85 rooms
- Enda Horton - 150 rooms
- James Hall - 59 rooms
- Magnolia Hall - 86 rooms
- McTeer Hall - 48 rooms
- New Women Hall - 48 rooms
- Stewart Hall - 90 rooms
- Valley Annex - 54 rooms

Existing Locations

Existing Hardware Panels

Report Date: 7/19/2021 10:10:47PM Central Daylight Time

Category: Access Panel

Annex

Panel Type: LNL-2000

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

ASP/Library

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Business Ed

Panel Type: LNL-500

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

College Hall 1

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Fine Arts 1st floor

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Fine Arts 2nd floor

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Report Date: 7/19/2021 10:10:47PM Central Daylight Time

Category: Access Panel**Harrison Gym**

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

James Hall

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Leflore Hall

Panel Type: LNL-500

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: No
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Library

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Magnolia Hall

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

New Admin Bldg East Panel

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
 Online: Yes
 Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
 Daylight Savings: Yes

Category: Access Panel

New Admin Bldg West Panel

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

New Mens Dorm

Panel Type: LNL-2000

Communications Parameters

Workstation: SEC-MAIN-SERVER
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

New Technology

Panel Type: LNL-2000

Communications Parameters

Workstation: SEC-MAIN-SERVER
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

New Womens Dorm

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Old Math

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Old Science

Panel Type: LNL-2220

Communications Parameters

Workstation: SEC-MAIN-SERVER
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Category: Video

Video-pd1

Panel Type: LNVR

Communications Parameters

Workstation: VIDEO-PD6
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Video-pd2

Panel Type: LNVR

Communications Parameters

Workstation: VIDEO-PD5
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Video-pd3

Panel Type: LNVR

Communications Parameters

Workstation: VIDEO-PD6
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Video-pd4

Panel Type: LNVR

Communications Parameters

Workstation: VIDEO-PD5
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Video-pd5

Panel Type: LNVR

Communications Parameters

Workstation: VIDEO-PD5
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Video-pd6

Panel Type: LNVR

Communications Parameters

Workstation: VIDEO-PD6
Online: Yes
Connection Type: LAN

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Report Date: 7/19/2021 10:10:47PM Central Daylight Time

Category: Video

Video-pd7

Communications Parameters

Workstation: VIDEO-PD6
Online: Yes
Connection Type: LAN

Panel Type: LNVR

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Video-pd8

Communications Parameters

Workstation: VIDEO-PD6
Online: Yes
Connection Type: LAN

Panel Type: LNVR

World Time Zone: (GMT-06:00) Central Time (US & Canada)
Daylight Savings: Yes

Total Hardware Panels: 26

Existing Readers

Report Date: 7/19/2021 10:12:01PM Central Daylight Time

Access Panel: Annex

Annex Back Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Annex Front Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Annex Back Door	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Annex Main Entry IT

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Annex Office Entry IT	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	

Card Formats: Wiegand (72)
Wiegand Format

Annex Office Entry IT

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Annex Server Room

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

5 readers on panel Annex

Access Panel: ASP/Library

ASP/Library Computer Rm Dr 1

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: ASP/Library Front Door	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

ASP/Library Computer Rm Dr 2

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: ASP/Library West Dr Entrance	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

ASP/Library Front Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

ASP/Library Rear Door

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

ASP/Library West Dr Entrance

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

ASP/Library West Dr Exit

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

6 readers on panel ASP/Library

Access Panel: Business Ed

Class rm 101 North

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Class rm 101 South	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Class rm 101 South

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Class rm 202 North

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 6
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Class rm 202 South

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 6
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Class rm 202 North	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Class rm 302 North

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 7
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Class rm 302 South	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Class rm 302 South

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 7
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Class rm 402 North

Type:	Dual Interface Rdr 1 (Wiegand / Prox)	Port:	Port 2
Elevator:	No	Address:	5
Online Mode:	Card Only	Strike Time:	3
Offline Mode:	Card Only	Held Open Time:	75
Allow Commands:	No	Strike Mode:	Cut Off on Close
Keypad:	No Keypad	Alarm Shunt:	No
Dual Reader 2:	Class rm 402 South		
Strike Follower:	No		
Card Formats:	MVSU		
	Niscayah		
	Wiegand (64)		
	Wiegand (72)		
	Wiegand Format		

Class rm 402 South

Type:	Dual Interface Rdr 2 (Wiegand / Prox)	Port:	Port 2
Elevator:	No	Address:	5
Online Mode:	Card Only	Strike Time:	3
Offline Mode:	Card Only	Held Open Time:	75
Allow Commands:	No	Strike Mode:	Cut Off on Close
Keypad:	No Keypad	Alarm Shunt:	No
Strike Follower:	No		
Card Formats:	MVSU		
	Niscayah		
	Wiegand (64)		
	Wiegand (72)		
	Wiegand Format		

Front Door

Type:	Dual Interface Rdr 1 (Wiegand / Prox)	Port:	Port 2
Elevator:	No	Address:	2
Online Mode:	Card Only	Strike Time:	3
Offline Mode:	Card Only	Held Open Time:	75
Allow Commands:	No	Strike Mode:	Cut Off on Close
Keypad:	No Keypad	Alarm Shunt:	No
Dual Reader 2:	Rear Door		
Strike Follower:	No		
Card Formats:	MVSU		
	Niscayah		
	Wiegand (64)		
	Wiegand (72)		
	Wiegand Format		

North Hall Exit

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 4
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: South Hall Exit	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Rear Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

South Hall Exit

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 4
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

12 readers on panel Business Ed

Access Panel: College Hall 1

College Hall 1 Door 10

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 4
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Door 4

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Door 5

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: College Hall 1 Door 6	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Door 6

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Door 7

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: College Hall 1 Door 8	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Door 8

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Door 9

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 4
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: College Hall 1 Door 10	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Lobby Entry Left

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Lobby Entry Right

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: College Hall 1 Door 4	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

College Hall 1 Main Entry

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

10 readers on panel College Hall 1

Access Panel: Fine Arts 1st floor

Fine arts 1st fl east lab

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Fine arts 1st fl NW lab

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Fine arts 1st fl piano room

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Fine arts 1st fl SW lab

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

4 readers on panel Fine Arts 1st floor

Access Panel: Fine Arts 2nd floor

Fine arts 2nd fl classroom

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Fine arts 2nd fl north lab

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Fine arts 2nd fl south lab

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

3 readers on panel Fine Arts 2nd floor

Access Panel: Harrison Gym

Harrison Gym Door 004 - SE Front Entry

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 6
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 115 - South Courtyard to Cooridor 61

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Input #1 Desc: Door 22 Trash shoot door status	Aux Input #1 Supervision: Not Supervised, Normally Closed
Aux Output #1 Desc: Stairwell 20 Door Prop Horn	Aux Output #1 Pulse Time (secs): 5
Dual Reader 2: Harrison Gym Door 131 - South Exterior Ticketing to Coorido	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 131 - South Exterior Ticketing to Cooridor

101

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 46 - North Exterior to Vestibule 26

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 64 - NW Exterior to Cooridor 45

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 66 - Womens Basketball Locker

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Harrison Gym Door 72 - Mens Locker Room	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 72 - Mens Locker Room

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 82 - West Exterior to Cooridor 57

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Harrison Gym Door 87 - SW Exterior to Cooridor 61	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Harrison Gym Door 87 - SW Exterior to Cooridor 61

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

9 readers on panel Harrison Gym

Access Panel: James Hall

James hall door 1

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	

James hall door 2

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	

James Hall door 3

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: James Hall door 4	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	

James Hall door 4

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	

James Hall door 5

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: James Hall door 6	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	

James Hall door 6

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	

James Hall door 7

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Facility Code Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	

7 readers on panel James Hall

Access Panel: Leflore Hall

Leflore Hall North

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Leflore Hall South

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Leflore Hall North	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2 readers on panel Leflore Hall

Access Panel: Library

Library 2nd floor 206

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library 2nd floor 215

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Library 2nd floor 216	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library 2nd floor 216

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library Door 116

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Library Door 2nd floor 214	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library Door 124

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Library 2nd floor 206	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library Door 2nd floor 214

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library East Door Entrance

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library Lobby Entrance

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library Lobby Exit Door 107

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Library West Door Entrance

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Library Lobby Exit Door 107	
Strike Follower: No	
Card Formats: MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

10 readers on panel Library

Access Panel: Magnolia Hall

Magnolia East Front Corner

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Magnolia NE Front Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Magnolia NW Front Door	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Magnolia NW Front Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Magnolia South Back Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Magnolia South East Back Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Magnolia South West Back Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Magnolia West Front Door	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Magnolia West Front Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

7 readers on panel Magnolia Hall

Access Panel: New Admin Bldg East Panel

New Admin Bldg East Entrance

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Unlocked	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

New Admin Bldg Main Entrance

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Unlocked	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2 readers on panel New Admin Bldg East Panel

Access Panel: New Admin Bldg West Panel

New Admin Bldg West Entrance

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Unlocked	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1 readers on panel New Admin Bldg West Panel

Access Panel: New Mens Dorm**Mens Back Door**

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Mens Elevator

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Unlocked	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Mens Front Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Unlocked	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Output #1 Desc: Mens Front Door Paddle	Aux Output #1 Pulse Time (secs): 5
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Mens North Hall

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Unlocked	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Input #1 Desc: Mens South Stairwell Exit	Aux Input #1 Supervision: Not Supervised, Normally Closed
Aux Input #2 Desc: Mens North Stairwell Exit	Aux Input #2 Supervision: Not Supervised, Normally Closed
Dual Reader 2: Mens Front Door	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Mens South Hall

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Unlocked	Strike Time: 3
Offline Mode: Unlocked	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Mens Back Door	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

5 readers on panel New Mens Dorm

Access Panel: New Technology

1102Bio Computer Lab

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 8
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 2202 Computer Room	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1103 Bio Computer Lab

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 4
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1107 Bio Faulty Res Wet Lab

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 5
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1109 Bio Classroom

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 4
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 1103 Bio Computer Lab	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1110Bio Teaching Wet Lab

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 6
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 2203 Computer Room	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1111 Classroom

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 7
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 1112Computer Room	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1112 Computer Room

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 7
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1119 Bio Grad Student Office

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 5
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 1107 Bio Faulty Res Wet Lab	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

1122

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 9
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 2207	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2202 Computer Room

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 8
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2203 Computer Room

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 6
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2207

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 9
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2210

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 10
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 2211	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2211

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 10
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2212

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 11
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: 2219	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2219

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 11
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2222

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 12
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech 1st Floor Double Doors

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Tech Server Rm	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech 2nd Floor Double Doors

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech East Handi Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Output #1 Desc: Tech East Door Paddle	Aux Output #1 Pulse Time (secs): 5
Dual Reader 2: Tech Front Handi Door	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech Front Handi Door

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Output #1 Desc: Tech Front Door Paddle	Aux Output #1 Pulse Time (secs): 5
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech Server Rm

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 3
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech South West Exit Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Tech West Handi Door	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech West Exit Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Tech 2nd Floor Double Doors	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Tech West Handi Door

Type:	Dual Interface Rdr 2 (Wiegand / Prox)	Port:	Port 2
Elevator:	No	Address:	2
Online Mode:	Card Only	Strike Time:	3
Offline Mode:	Card Only	Held Open Time:	75
Allow Commands:	No	Strike Mode:	Cut Off on Close
Keypad:	No Keypad	Alarm Shunt:	No
Aux Output #1 Desc:	Tech West Door Paddle	Aux Output #1 Pulse Time (secs):	5
Strike Follower:	No		
Card Formats:	Magnetic Format		
	MVSU		
	Niscayah		
	Wiegand (64)		
	Wiegand (72)		
	Wiegand Format		

25 readers on panel New Technology

Access Panel: New Womens Dorm

Womans Back Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2: Womans Elevator	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Womans Elevator

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 1
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Womans North Hall

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 2
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Dual Reader 2:	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Womans South Hall

Type: Dual Interface Rdr 2 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Womens Front Door

Type: Dual Interface Rdr 1 (Wiegand / Prox)	Port: Port 2
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Input #1 Desc: Womens South Stairwell	Aux Input #1 Supervision: Not Supervised, Normally Closed
Aux Input #2 Desc: Womens North Stairwell	Aux Input #2 Supervision: Not Supervised, Normally Closed
Aux Output #1 Desc: Womens Front Door Paddle	Aux Output #1 Pulse Time (secs): 5
Dual Reader 2: Womans South Hall	
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

5 readers on panel New Womens Dorm

Access Panel: Old Math

Computer Lab Rm 208

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Input #1 Desc: TV in Old Math & Science Bldg 1	Aux Input #1 Supervision: Not Supervised, Normally Closed
Aux Input #2 Desc: TV in Old Math & Science Bldg 2	Aux Input #2 Supervision: Not Supervised, Normally Closed
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Old Math Room 116

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Input #1 Desc: TV in Old Math & Science Bldg 3	Aux Input #1 Supervision: Not Supervised, Normally Closed
Aux Input #2 Desc: TV in Old Math & Science Bldg 4	Aux Input #2 Supervision: Not Supervised, Normally Closed
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2 readers on panel Old Math

Access Panel: Old Science

Old Science Room 108

Type: IDRC Onboard Reader 1 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Aux Input #1 Desc: TV in Old Math & Science Bldg 5	Aux Input #1 Supervision: Not Supervised, Normally Closed
Aux Input #2 Desc: TV in Old Math & Science Bldg 6	Aux Input #2 Supervision: Not Supervised, Normally Closed
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

Old Science Room 109

Type: IDRC Onboard Reader 2 (Wiegand / Prox)	Port: None
Elevator: No	Address: 0
Online Mode: Card Only	Strike Time: 3
Offline Mode: Card Only	Held Open Time: 75
Allow Commands: No	Strike Mode: Cut Off on Close
Keypad: No Keypad	Alarm Shunt: No
Strike Follower: No	
Card Formats: Magnetic Format	
MVSU	
Niscayah	
Wiegand (64)	
Wiegand (72)	
Wiegand Format	

2 readers on panel Old Science

Total Readers: 117